

ENEC LICENCE

Licence No. ENEC-02363
Page 1/4
Date of Issue 2018-12-11


Licence Holder DISANO ILLUMINAZIONE SPA
V Le Lombardia 129
Rozzano, 20089 Mi Italy

Production site SIRIUS SPA
Via Scaldasole 10/12
Dorno, 27020 Pv Italy

Certification Mark See Annex 1

Certified Product Luminaires for road and street lighting with LED as light source

Model 3280 ROLLE T1
See Page 2

Trademark 

Rated Voltage / Frequency 220-240 V 50/60 Hz

Rated Current / Power 119 W, 14 LED 110 W (ILED 700 mA)

Insulation Class Class II

Degree of protection (IP) IP66

Tested acc. to EN 60598-1:2015/A1:2018, EN 60598-1:2015, EN 60598-2-3:2003/A1:2011, EN 60598-2-3:2003

Test Report No. 4788720263.9 issued on 2018-12-05

Additional



Certification Manager
Jan-Erik Storgaard

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.ul-europe.com



ENEC LICENCE

Licence No. ENEC-02363
 Page 2/4
 Date of Issue 2018-12-11

Model Details:

The main model:						
Model	Code	Color	LED Type	Ratings	IK code	Note
3280 ROLLE T1	330402.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 119W 50/60Hz Max 110W 14 LED Class II IP66	IK09 IK08	Street beam Type 1 optical
	330402.39	3000K				
Extends the following models:						
3280 ROLLE T1	330401.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 85W 50/60Hz Max 78W 10 LED Class II IP66	IK09 IK08	Street beam Type 1 optical
	330401.39	3000K				
3280 ROLLE T1	330400.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 42W 50/60Hz Max 39W 5 LED Class II IP66	IK09 IK08	Street beam Type 1 optical
	330400.39	3000K				
3281 ROLLE T2	330412.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 119W 50/60Hz Max 110W 14 LED Class II IP66	IK09 IK08	Street beam Type 2 optical
	330412.39	3000K				
3281 ROLLE T2	330411.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 85W 50/60Hz Max 78W 10 LED Class II IP66	IK09 IK08	Street beam Type 2 optical
	330411.39	3000K				
3281 ROLLE T2	330410.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 42W 50/60Hz Max 39W 5 LED Class II IP66	IK09 IK08	Street beam Type 2 optical
	330410.39	3000K				
3282 ROLLE T3	330422.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 119W 50/60Hz Max 110W 14 LED Class II IP66	IK09 IK08	Street beam Type 3 optical
	330422.39	3000K				
3282 ROLLE T3	330421.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 85W 50/60Hz Max 78W 10 LED Class II IP66	IK09 IK08	Street beam Type 3 optical
	330421.39	3000K				
3282 ROLLE T3	330420.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 42W 50/60Hz Max 39W 5 LED Class II IP66	IK09 IK08	Street beam Type 3 optical
	330420.39	3000K				
3283 ROLLE T4	330430.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 119W 50/60Hz Max 110W 14 LED Class II IP66	IK09 IK08	Street beam Type 4 optical
	330430.39	3000K				

Certification Body

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).



ENEC LICENCE

Licence No. ENEC-02363
 Page 3/4
 Date of Issue 2018-12-11

Model Details:

Model	Code	Color	LED Type	Ratings	IK code	Note
3283 ROLLE T4	330431.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 85W 50/60Hz Max 78W 10 LED Class II IP66	IK09 IK08	Street beam Type 4 optical
3283 ROLLE T4	330432.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 42W 50/60Hz Max 39W 5 LED Class II IP66	IK09 IK08	Street beam Type 4 optical
	330432.39	3000K				
3284 ROLLE T5	330440.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 119W 50/60Hz Max 110W 14 LED Class II IP66	IK09 IK08	Street beam Type 5 optical
	330440.39	3000K				
3284 ROLLE T5	330441.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 85W 50/60Hz Max 78W 10 LED Class II IP66	IK09 IK08	Street beam Type 5 optical
	330441.39	3000K				
3284 ROLLE T5	330442.00	4000K	Max 7,8W (Max 700mA) 4000K – 3000K	220-240V Max 42W 50/60Hz Max 39W 5 LED Class II IP66	IK09 IK08	Street beam Type 5 optical
	330442.39	3000K				
3285 ROLLE HP	340100.00	4000K	Max 1,98W (Max 350mA) 4000K – 3000K	220-240V Max 102W 50/60Hz Max 95W 48 LED Class II IP66	IK09 IK08	Street beam Type 1 optical
	340100.39	3000K				
3285 ROLLE HP	340102.00	4000K	Max 1,98W (Max 350mA) 4000K – 3000K	220-240V Max 78W 50/60Hz Max 71W 36 LED Class II IP66	IK09 IK08	Street beam Type 1 optical
	340102.39	3000K				
3285 ROLLE HP	340103.00	4000K	Max 1,98W (Max 350mA) 4000K – 3000K	220-240V Max 25W 50/60Hz Max 23W 34 LED Class II IP66	IK09 IK08	Street beam Type 1 optical
	340103.39	3000K				
3286 ROLLE HP	340110.00	4000K	Max 1,98W (Max 350mA) 4000K – 3000K	220-240V Max 102W 50/60Hz Max 95W 48 LED Class II IP66	IK09 IK08	Street beam Type 2 optical
	340110.39	3000K				
3286 ROLLE HP	340112.00	4000K	Max 1,98W (Max 350mA) 4000K – 3000K	220-240V Max 102W 50/60Hz Max 95W 48 LED Class II IP66	IK09 IK08	Street beam Type 2 optical
	340112.39	3000K				
3286 ROLLE HP	340113.00	4000K	Max 1,98W (Max 350mA) 4000K – 3000K	220-240V Max 102W 50/60Hz Max 95W 48 LED Class II IP66	IK09 IK08	Street beam Type 2 optical
Models having Power less than the models in the table can be used setting the output current of electronic control gear.						

Certification Body

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).



Annex 1 to Licence No.

ENEC-02363

Annex of the form of the Mark



* Identification number of the Certification Body

Size of the mark:

The size of the mark may be reduced on the condition that it remains legible and that the ratio $b/a=1,7$ is kept

Certification Body

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).

